

Request for CTPA to Rule Out Acute PE

1. Is Pulmonary Embolus the most likely diagnosis? Yes.....1 Point
2. Is there a major risk factor? Yes.....1 Point
Previous PE or DVT / Major Medical Illness / Recent Immobility / Major Surgery / Lower Limb Surgery or Trauma / Pregnancy / < 6 Weeks Post-Partum
3. If above score = 1, check D-Dimer.
D-Dimer level(Normal < 500) 1 Point

CTPA indicated **only** if score = 2

Request for CTPA to Rule Out Acute PE

1. Is Pulmonary Embolus the most likely diagnosis? Yes.....1 Point
2. Is there a major risk factor? Yes.....1 Point
Previous PE or DVT / Major Medical Illness / Recent Immobility / Major Surgery / Lower Limb Surgery or Trauma / Pregnancy / < 6 Weeks Post-Partum
3. If above score = 1, check D-Dimer.
D-Dimer level(Normal < 500) 1 Point

CTPA indicated **only** if score = 2

Request for CTPA to Rule Out Acute PE

1. Is Pulmonary Embolus the most likely diagnosis? Yes.....1 Point
2. Is there a major risk factor? Yes.....1 Point
Previous PE or DVT / Major Medical Illness / Recent Immobility / Major Surgery / Lower Limb Surgery or Trauma / Pregnancy / < 6 Weeks Post-Partum
3. If above score = 1, check D-Dimer.
D-Dimer level(Normal < 500) 1 Point

CTPA indicated **only** if score = 2

Request for CTPA to Rule Out Acute PE

1. Is Pulmonary Embolus the most likely diagnosis? Yes.....1 Point
2. Is there a major risk factor? Yes.....1 Point
Previous PE or DVT / Major Medical Illness / Recent Immobility / Major Surgery / Lower Limb Surgery or Trauma / Pregnancy / < 6 Weeks Post-Partum
3. If above score = 1, check D-Dimer.
D-Dimer level(Normal < 500) 1 Point

CTPA indicated **only** if score = 2

Request for CTPA to Rule Out Acute PE

1. Is Pulmonary Embolus the most likely diagnosis? Yes.....1 Point
2. Is there a major risk factor? Yes.....1 Point
Previous PE or DVT / Major Medical Illness / Recent Immobility / Major Surgery / Lower Limb Surgery or Trauma / Pregnancy / < 6 Weeks Post-Partum
3. If above score = 1, check D-Dimer.
D-Dimer level(Normal < 500) 1 Point

CTPA indicated **only** if score = 2

Request for CTPA to Rule Out Acute PE

1. Is Pulmonary Embolus the most likely diagnosis? Yes.....1 Point
2. Is there a major risk factor? Yes.....1 Point
Previous PE or DVT / Major Medical Illness / Recent Immobility / Major Surgery / Lower Limb Surgery or Trauma / Pregnancy / < 6 Weeks Post-Partum
3. If above score = 1, check D-Dimer.
D-Dimer level(Normal < 500) 1 Point

CTPA indicated **only** if score = 2

Request for CTPA to Rule Out Acute PE

1. Is Pulmonary Embolus the most likely diagnosis? Yes.....1 Point
2. Is there a major risk factor? Yes.....1 Point
Previous PE or DVT / Major Medical Illness / Recent Immobility / Major Surgery / Lower Limb Surgery or Trauma / Pregnancy / < 6 Weeks Post-Partum
3. If above score = 1, check D-Dimer.
D-Dimer level(Normal < 500) 1 Point

CTPA indicated **only** if score = 2

Request for CTPA to Rule Out Acute PE

1. Is Pulmonary Embolus the most likely diagnosis? Yes.....1 Point
2. Is there a major risk factor? Yes.....1 Point
Previous PE or DVT / Major Medical Illness / Recent Immobility / Major Surgery / Lower Limb Surgery or Trauma / Pregnancy / < 6 Weeks Post-Partum
3. If above score = 1, check D-Dimer.
D-Dimer level(Normal < 500) 1 Point

CTPA indicated **only** if score = 2

Request for CTPA to Rule Out Acute PE

1. Is Pulmonary Embolus the most likely diagnosis? Yes.....1 Point
2. Is there a major risk factor? Yes.....1 Point
Previous PE or DVT / Major Medical Illness / Recent Immobility / Major Surgery / Lower Limb Surgery or Trauma / Pregnancy / < 6 Weeks Post-Partum
3. If above score = 1, check D-Dimer.
D-Dimer level(Normal < 500) 1 Point

CTPA indicated **only** if score = 2

Request for CTPA to Rule Out Acute PE

1. Is Pulmonary Embolus the most likely diagnosis? Yes.....1 Point
2. Is there a major risk factor? Yes.....1 Point
Previous PE or DVT / Major Medical Illness / Recent Immobility / Major Surgery / Lower Limb Surgery or Trauma / Pregnancy / < 6 Weeks Post-Partum
3. If above score = 1, check D-Dimer.
D-Dimer level(Normal < 500) 1 Point

CTPA indicated **only** if score = 2

Request for CTPA to Rule Out Acute PE

1. Is Pulmonary Embolus the most likely diagnosis? Yes.....1 Point
2. Is there a major risk factor? Yes.....1 Point
Previous PE or DVT / Major Medical Illness / Recent Immobility / Major Surgery / Lower Limb Surgery or Trauma / Pregnancy / < 6 Weeks Post-Partum
3. If above score = 1, check D-Dimer.
D-Dimer level(Normal < 500) 1 Point

CTPA indicated **only** if score = 2

Request for CTPA to Rule Out Acute PE

1. Is Pulmonary Embolus the most likely diagnosis? Yes.....1 Point
2. Is there a major risk factor? Yes.....1 Point
Previous PE or DVT / Major Medical Illness / Recent Immobility / Major Surgery / Lower Limb Surgery or Trauma / Pregnancy / < 6 Weeks Post-Partum
3. If above score = 1, check D-Dimer.
D-Dimer level(Normal < 500) 1 Point

CTPA indicated **only** if score = 2

Request for CTPA to Rule Out Acute PE

1. Is Pulmonary Embolus the most likely diagnosis? Yes.....1 Point
2. Is there a major risk factor? Yes.....1 Point
Previous PE or DVT / Major Medical Illness / Recent Immobility / Major Surgery / Lower Limb Surgery or Trauma / Pregnancy / < 6 Weeks Post-Partum
3. If above score = 1, check D-Dimer.
D-Dimer level(Normal < 500) 1 Point

CTPA indicated **only** if score = 2

Request for CTPA to Rule Out Acute PE

1. Is Pulmonary Embolus the most likely diagnosis? Yes.....1 Point
2. Is there a major risk factor? Yes.....1 Point
Previous PE or DVT / Major Medical Illness / Recent Immobility / Major Surgery / Lower Limb Surgery or Trauma / Pregnancy / < 6 Weeks Post-Partum
3. If above score = 1, check D-Dimer.
D-Dimer level(Normal < 500) 1 Point

CTPA indicated **only** if score = 2

Request for CTPA to Rule Out Acute PE

1. Is Pulmonary Embolus the most likely diagnosis? Yes.....1 Point
2. Is there a major risk factor? Yes.....1 Point
Previous PE or DVT / Major Medical Illness / Recent Immobility / Major Surgery / Lower Limb Surgery or Trauma / Pregnancy / < 6 Weeks Post-Partum
3. If above score = 1, check D-Dimer.
D-Dimer level(Normal < 500) 1 Point

CTPA indicated **only** if score = 2

Request for CTPA to Rule Out Acute PE

1. Is Pulmonary Embolus the most likely diagnosis? Yes.....1 Point
2. Is there a major risk factor? Yes.....1 Point
Previous PE or DVT / Major Medical Illness / Recent Immobility / Major Surgery / Lower Limb Surgery or Trauma / Pregnancy / < 6 Weeks Post-Partum
3. If above score = 1, check D-Dimer.
D-Dimer level(Normal < 500) 1 Point

CTPA indicated **only** if score = 2

